



If you have mild cognitive impairment (MCI) or mild dementia due to Alzheimer's disease,

# YOU STILL CAN BE WITH LEQEMBI®

LEARN MORE  
ABOUT TREATMENT



**LOLA**  
living with mild  
Alzheimer's dementia\*



## IMPORTANT SAFETY INFORMATION

**i** What is the most important information I should know about LEQEMBI? LEQEMBI can cause serious side effects, including: ARIA (amyloid-related imaging abnormalities). There are usually no signs of ARIA. In rare cases, it can lead to serious complications: ARIA can show up as swelling in parts of the brain or small spots of bleeding; larger areas of bleeding in the brain may occur, but this is uncommon; ARIA usually goes away over time; most people with ARIA don't have any symptoms. However, some people may notice: headache, confusion that gets worse, dizziness, vision problems, nausea, problems walking, or seizures.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

 **LEQEMBI**  
(lecanemab-irmb) 100 mg/mL  
INJECTION FOR INTRAVENOUS USE

\*Patient shown is not taking LEQEMBI.

# LEARNING ABOUT LEQEMBI STARTS HERE

This brochure was designed to help make it easier to learn about LEQEMBI—an FDA-approved treatment proven to slow the progression of mild cognitive impairment (MCI) and mild dementia due to Alzheimer’s disease. Even though you cannot stop Alzheimer’s disease from getting worse, with LEQEMBI, you can take steps to slow how fast it progresses.\*

This brochure helps answer these questions:

**PAGE 4** | IS LEQEMBI RIGHT FOR ME OR MY LOVED ONE?

**PAGE 6** | WHEN IS THE RIGHT TIME TO START LEQEMBI?

**PAGE 8** | WHAT TESTS SHOULD I KNOW ABOUT?

**PAGE 10** | HOW CAN LEQEMBI HELP?

**PAGE 12** | HOW DOES LEQEMBI WORK?

**PAGE 14** | HOW IS LEQEMBI GIVEN?

**PAGE 16** | WHAT ARE THE POTENTIAL SIDE EFFECTS?

**PAGE 18** | WHAT SUPPORT IS AVAILABLE FOR LEQEMBI?

“  
**I WANTED TO BRING  
WHAT I’VE LEARNED**  
about Alzheimer’s to others.”

**PAULETTE**  
living with MCI†

## IMPORTANT SAFETY INFORMATION (CONTINUED)

**i** What is the most important information I should know about LEQEMBI?

**DNA** Some people have a gene called ApoE4 that may increase the risk of ARIA. Talk to your healthcare provider about testing to see if you have this gene

**💧** Some medicines can increase the risk of larger areas of bleeding in the brain for people taking LEQEMBI. Talk to your healthcare provider to see if any of the medicines you’re taking increase this risk

**👁️** Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before you start LEQEMBI and during treatment

**📱** Call your healthcare provider or go to the nearest hospital emergency room right away if you have any of the symptoms listed on the front cover.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

**LEQEMBI**<sup>®</sup>  
(lecanemab-irmb)

†Patient shown is not taking LEQEMBI.



# IS LEQEMBI RIGHT FOR ME OR MY LOVED ONE?

LEQEMBI is for people in the early stages of Alzheimer's disease—before symptoms require much daily support.

The early stages are known as:



## Mild cognitive impairment (MCI) due to Alzheimer's disease

This is when symptoms, like forgetting names and confusion, are very mild and may not get in the way of daily life.



## Mild Alzheimer's dementia

This is when symptoms, like trouble keeping track of bills and difficulty with familiar tasks, start to get in the way of daily life.

If you have serious allergic reactions to any of the ingredients in LEQEMBI, you should not be treated with LEQEMBI.



**RICHARD**  
living with MCI,\*  
and his wife, Christine

## IMPORTANT SAFETY INFORMATION (CONTINUED)

 Before receiving LEQEMBI, tell your healthcare provider about all your medical conditions, including if you:

- are pregnant or plan to become pregnant. It is not known if LEQEMBI will harm your unborn baby. Tell your healthcare provider if you become pregnant during your treatment with LEQEMBI

- are breastfeeding or plan to breastfeed. It is not known if any of the ingredients in LEQEMBI pass into your breast milk. Talk to your healthcare provider about the best way to feed your baby while receiving LEQEMBI

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).



\*Patient shown is not taking LEQEMBI.

## WHEN IS THE RIGHT TIME TO START LEQEMBI?

Even though you cannot stop Alzheimer's disease from getting worse, you can take steps to slow how fast it progresses. That's why discussing LEQEMBI early on is so important.



### What to know about the stages of Alzheimer's disease and LEQEMBI

#### Early stage

When symptoms, such as difficulty remembering names and completing tasks, are still manageable without too much daily support.

#### Middle stage

When symptoms, such as getting lost and confusion, require more day-to-day support.

#### Late stage

When symptoms, such as personality changes and trouble moving around, require a lot of support—day and night.

**LEQEMBI may be right for you if you're in this stage.**




Once Alzheimer's disease progresses to these stages, LEQEMBI may no longer be right for you. That's why it's important to discuss treatment as soon as possible.



Strength comes from embracing life, making memories,  
**MAKING TODAY COUNT.**"

**LOLA** living with mild Alzheimer's dementia,\* and her daughter, Nadine

### IMPORTANT SAFETY INFORMATION (CONTINUED)

** Tell your healthcare provider about all the medicines you take,** including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Especially tell your healthcare provider if you take medicines to reduce blood clots from forming (including aspirin). Ask your healthcare provider for a list of these medicines if you are not sure.

Keep a list of the medicines you take. Show it to your healthcare provider and pharmacist when you get a new medicine.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).





## WHAT TESTS SHOULD I KNOW ABOUT?

One of the first steps your healthcare provider will take to determine if LEQEMBI is right for you is checking for amyloid brain plaque. That's because LEQEMBI keeps working throughout treatment to remove harmful amyloid brain plaque. **So it's important to know if amyloid brain plaque is behind your symptoms.**

**AUDREY**  
living with mild  
Alzheimer's dementia\*

### These tests can help determine if LEQEMBI is right for you



An amyloid **positron emission tomography (PET)** scan uses a special machine that takes pictures of your brain to check for amyloid brain plaque.



A **cerebrospinal fluid (CSF)** test takes samples of the fluid around your brain and spinal cord to check for amyloid proteins that build up into amyloid brain plaque.

**Talk to your healthcare provider about what tests are right for you**

### IMPORTANT SAFETY INFORMATION (CONTINUED)

- !** What are the possible side effects of LEQEMBI?  
LEQEMBI can cause serious side effects, including:
- **ARIA (amyloid-related imaging abnormalities)** (see front cover)

- **Serious allergic reactions** may happen during a LEQEMBI infusion. Tell your healthcare provider if you notice any of these symptoms during or after a LEQEMBI infusion:



swelling of the face, lips, mouth, or tongue



itchy bumps on the skin, also known as hives



difficulty breathing

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

**LEQEMBI**  
(lecanemab-irmb)

## HOW CAN LEQEMBI HELP?

In an 18-month study of people with early Alzheimer's disease,

### LEQEMBI WAS PROVEN TO SLOW THE PROGRESSION OF EARLY ALZHEIMER'S DISEASE.

Even though you cannot stop Alzheimer's disease from getting worse, you can take steps to slow how fast it progresses. Early treatment with LEQEMBI can help you keep playing the roles you have for longer.

#### How progression was measured

A tool called the Clinical Dementia Rating (CDR) scale measured progression by asking people how Alzheimer's disease impacted different abilities listed below. LEQEMBI was not proven to individually impact each of these abilities.



Remembering



Staying active



Knowing your way around



Completing daily tasks



Problem-solving



Doing activities independently

#### IMPORTANT SAFETY INFORMATION (CONTINUED)

##### ⚠️ What are the possible side effects of LEQEMBI?

LEQEMBI can cause serious side effects, including:

- **Infusion-related reactions** are common and can sometimes be serious. Tell your healthcare provider right away if you notice any of these symptoms during an infusion:

- 🌡️ fever
- 🧑‍🤒 flu-like symptoms (chills, joint and body aches, feeling shaky)
- 🧑‍🤒 nausea and/or vomiting

#### Who was included in the study?

1,795 men and women, ages 50 to 90, from different ethnic and racial backgrounds.\* They had either mild cognitive impairment (MCI) or mild dementia due to Alzheimer's disease.



There are moments in my journey that I go up and down, and then I think, well, **I'M GOING TO GO FORWARD AND LIVE.**"

#### LOLA

living with mild Alzheimer's dementia,<sup>†</sup> and her son, Nathan



\*The study was divided into 2 groups. One group took LEQEMBI (898 people), and the other group did not take LEQEMBI (897 people).



dizziness or lightheadedness



difficulty breathing or shortness of breath



fast or slow heart rate, or feeling like your chest is pounding

Your healthcare provider may give you medicines before your next infusion to lower the chance of having a reaction.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).



<sup>†</sup>Patient shown is not taking LEQEMBI.




# HOW DOES LEQEMBI WORK?

Understanding how LEQEMBI fights Alzheimer's disease starts by taking a look inside the brain

Alzheimer's disease is a brain condition that gets worse over time. It may happen when a protein called amyloid continuously builds up in your brain, forming harmful amyloid brain plaque. **Though there are different types of amyloid proteins, all of them can damage brain cells.**



## KEY:



For illustrative purposes only. Individual results may vary.


## IMPORTANT SAFETY INFORMATION (CONTINUED)

**!** What are the possible side effects of LEQEMBI?

The most common side effects of LEQEMBI include:

- infusion-related reactions
- swelling in areas of the brain, with or without small spots of bleeding in or on the surface of the brain (ARIA)
- headache


LEQEMBI works on fighting Alzheimer's disease in 2 ways



1

LEQEMBI **targets the different types of harmful amyloid proteins.**

&



2

LEQEMBI helps to **remove existing amyloid brain plaque.**



**People taking LEQEMBI were shown to have less amyloid brain plaque starting at 3 months**

These are not all the possible side effects of LEQEMBI. Call your doctor for more information and medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).



## HOW IS LEQEMBI GIVEN?

Before you start treatment, keep the following in mind:



**LEQEMBI is an intravenous (IV) infusion.** This means a needle is placed in a vein in your arm to give the medicine.



Each infusion takes about **1 hour**.



**Infusions are given once every 2 weeks.** If you miss an infusion of LEQEMBI, you should receive your next dose as soon as possible.



Infusions will be given at a **healthcare provider's office** or at an **infusion center**. Talk to your healthcare provider and insurance provider about where to get your infusions.



**An infusion every 2 weeks is what keeps LEQEMBI working in your body.** Plus, it gives your care team more opportunities to check in on you. Let them know right away if anything comes up.

### Make sure you know about these possible reactions:

**Serious allergic reactions.** Swelling of the face, lips, mouth, or tongue, hives, or difficulty breathing have happened during a LEQEMBI infusion. Tell your healthcare provider if you have any symptoms of a serious allergic reaction during or after your LEQEMBI infusion.

**Infusion-related reactions are a possible side effect of LEQEMBI.** These include fever, flu-like symptoms (chills, body aches, feeling shaky, and joint pain), nausea, vomiting, dizziness or lightheadedness, changes in your heart rate or feeling like your chest is pounding, changes in your blood pressure, and difficulty breathing or shortness of breath. **Tell your healthcare provider or infusion care team right away if you experience any of these symptoms. They can tell you what to do and if medicine may help.**

#### RICHARD

living with mild cognitive impairment (MCI),\* and his wife, Christine



## WHAT ARE THE POTENTIAL SIDE EFFECTS?

When considering a new treatment, it's okay to have questions about potential side effects. One side effect is ARIA. **Take a look below to understand a bit more about it and how your healthcare provider will monitor you throughout treatment.**

### What is ARIA?

ARIA (amyloid-related imaging abnormalities) is a potential side effect of treatments like LEQEMBI. ARIA is most commonly seen as temporary swelling in areas of the brain that usually resolves over time. Some people may also have small spots of bleeding in or on the surface of the brain and, infrequently, larger areas of bleeding in the brain can occur. Most people with this type of swelling in the brain do not get symptoms—however, some people may have symptoms, such as:



headache



vision problems



difficulty walking



confusion that gets worse



nausea



seizures



dizziness

### Understanding the role your genes play

A gene called ApoE4 may put people at higher risk for ARIA. Your healthcare provider can test to see if you have this gene. By understanding your risk, you can better prepare for treatment with LEQEMBI.

### Monitoring for ARIA

Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before and during treatment with LEQEMBI. This gives them lots of opportunities to keep an eye on your brain health and manage your treatment.



**AUDREY**  
living with mild Alzheimer's dementia,\* and her son, Denver

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including **Boxed WARNING**, and [Medication Guide](#).



\*Patient shown is not taking LEQEMBI.

# WHAT SUPPORT IS AVAILABLE FOR LEQEMBI?

There are lots of resources for people considering LEQEMBI.

## Eisai Patient Support

**Eisai Patient Support (EPS)** provides information and resources to help you get access to LEQEMBI, including:

- understanding insurance coverage
- identifying financial support programs
- learning what to expect throughout treatment

For more information, visit [EisaiPatientSupport.com](https://EisaiPatientSupport.com) or call 1-833-453-7362 (1-833-4-LEQEMBI).




**LOLA**  
living with mild Alzheimer's dementia,\*  
and her daughter, Nadine

## Make LEQEMBI Companion™ your treatment companion

LEQEMBI Companion is a website experience filled with useful information, engaging resources, and helpful tips to return to throughout treatment. Use it during each infusion, between appointments, or whenever you need a little extra support.

At [LEQEMBICompanion.com](https://LEQEMBICompanion.com), you'll find:

- easy-to-use features
- games to play
- calming tools
- helpful information about your treatment



**Go to [LEQEMBICompanion.com](https://LEQEMBICompanion.com) to start exploring**

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including Boxed WARNING, and [Medication Guide](#).





## WHAT COMES NEXT?

Now that you know more about LEQEMBI, it's time to find out if LEQEMBI is right for you. **Start by talking with your healthcare provider about your diagnosis and any tests you may need.**

Go to [LEQEMBI.com/discussion](https://www.leqembi.com/discussion) for topics to discuss with your healthcare provider



**RICHARD\***  
and his wife, Christine

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

 **LEQEMBI**  
(lecanemab-irmb)

\*Patient shown is not taking LEQEMBI.



© 2024 Eisai Inc. and Biogen.  
LEQE-US2814 February 2024

All trademarks are the property of their respective owners.

LEQEMBI® is a registered trademark of Eisai R&D Management Co., Ltd.

LEQEMBI Companion™ is a trademark of Eisai R&D Management Co., Ltd.

